




IBEX

IDAHO'S BEST EXTERIORS


TRIM & PANEL PROFILES

www.IBEXMETAL.com




- Available with CONDENSTOP®
- No MIN or MAX length requirements
- 36" Coverage • 3/4" Rib Height
- Vented panel available
- 3:12 MIN recommended roof pitch
- 1:12 MIN pitch w/Seam Sealant

GR8/GR8WCS | TUFF-RIB (GR8)




- Concealed Fastener
- No MIN or MAX length requirements
- Available as Pre-Notched Panel
- 3:12 MIN recommended roof pitch
- Striations recommended to reduce oil canning
- 16" Coverage • 1" Rib Height

SL1/SL1WS | SNAPLOCK PANEL 16




- Concealed Fastener
- No MIN or MAX length requirements
- 14" coverage • 2" Seam Height
- 2:12 MIN recommended roof pitch
- 1/2:12 MIN roof pitch w/Seam Sealant
- Striations recommended to reduce oil canning
- Requires Seamer Tool

SS/SSWS | STANDING SEAM




- Concealed Fastener
- 36 1/2" MIN Length
- Striations recommended to reduce oil canning
- 10" coverage • 3/4" Rib Height

BB/BBWS | BOARD & BATTEN PANEL




- Cut to Length
- 16" coverage
- 3/8" Height


SF/SFP | SOFFIT PANEL




01 | RIDGE CAP




01R | RIDGE CAP - RIBBED




01C | RIDGE CAP (OVERSIZE 10/12)




02 | VALLEY




01B | RIDGE CAP - ARCHITECTURAL




02B | JUMBO VALLEY




04 | PITCH BREAK (TRANSITION)




02C | CLEATED VALLEY




04B | JUMBO PITCH BREAK (TRANSITION)




02D | JUMBO CLEATED VALLEY




04G | CLEATED PITCH BREAK




04C | ENDWALL




04D | JUMBO ENDWALL




04E | SIDEWALL




04F | JUMBO SIDEWALL




05 | J-CHANNEL




05B | MINI J-CHANNEL




05C | FULL WRAP J-CHANNEL




05D | REVERSE OVERSIZE J-CHANNEL




03 | PROW FLASHING




06 | MINI GABLE




06B | MINI MINI GABLE




07 | MINI EAVE




06C | OVERSIZED GABLE




06E | STANDING SEAM GABLE




07B | STANDING SEAM EAVE




09 | DRIP EDGE




09B | DRIP EDGE B




08 | INSIDE CORNER




08B | ARCHITECTURAL INSIDE CORNER




08E | TRIM FIRST INSIDE CORNER




103, 105, 106, 107, 108, 109, 110 | POST TRIM




103B, 105B, 106B, 107B, 108B, 109B, 110B | POST TRIM B




103C, 105C, 106C, 107C, 108C, 109C, 110C | PLAIN FASCIA




103R, 105R, 106R, 107R, 108R, 109R, 110R | RIBBED FASCIA




103D, 105D, 106D, 107D, 108D, 109D, 110D | INSIDE ANGLE




11 | RAT GUARD




173, 175, 176, 177, 178, 179, 1710 | POST FJTRIM




11B | FAT RAT




18 | ROOF TO WALL FLASHING




12 | SNOW GUARD




12B | MINI SNOW GUARD




13 | L BASE TRIM




14 | OUTSIDE CORNER




14R | OUTSIDE CORNER (RIBBED)




14B | OVERSIZE OUTSIDE CORNER




14C | MINI OUTSIDE CORNER




14D | ARCHITECTURAL CORNER




14E | TRIM FIRST OUTSIDE CORNER




15 | WALL LITE FLASHING




20B | Z TRIM B (TUFF-RIB; BOARD & BATTEN)




20C | Z TRIM C (SNAPLOCK 1)




20D | Z TRIM D (STANDING SEAM)




16 | FJTRIM




16B | MINI FJTRIM




16C | FULL WRAP FJTRIM



16D | FULL WRAP MINI FJTRIM




22 | ARCHITECTURAL RAKE/GABLE




25 | UNIVERSAL FLASHING




32 | REGLET FLASHING




24 | TRACK COVER




50B | STANDING SEAM ENDWALL




50C | STANDING SEAM SIDEWALL



27 | ARCHITECTURAL POST & DOOR TRIM




28 | ARCHITECTURAL TRIM




294, 296, 298 | BOARD BAND


PART A PART B




304A, 304B | 4x4 POST WRAP




PART A PART B



306A, 306B | 6x6 POST WRAP




UPPER PROFILE MATCHES RIDGE CAP (01)




31 | PEAK FLASHING

UPPER PROFILE MATCHES ARCH'L RIDGE CAP (01B)



31B | ARCHITECTURAL PEAK FLASHING

UPPER PROFILE MATCHES ARCH'L RIDGE CAP (01B)



31C | JUMBO ARCH'L PEAK FLASHING



(208) 565-3002

INFO@IBEXMETAL.COM

**280 GREAT NORTHERN RD
BONNERS FERRY, ID 83805**